



Using Github



What Github Does

- Online **project hosting** site
- **Share** git repositories, with access control
- Issue Tracking
- Project Boards
- **Automated** testing, builds, & other services
- Documentation wiki and web pages (github.io)
- Integrates with other services, e.g. Travis CI

Github Profile

Example of SKE student profiles.

1. Real name
2. Photo
3. (Optional) Email
4. Description of you



**Jirayu
Laungwilawan**
Jirayul

Faculty of Engineering , Major -
Software and Knowledge
Engineering.

Follow

Block or report user

📍 Thailand

✉ jirayu.l@ku.th

🔗 <https://github.com/Jirayul>



**Kongpon
Charanwattanakit**
kykungz

Software Developer, Undergraduate
Software and Knowledge
Engineering Student

Follow

Block or report user

👤 Kasetsart University

📍 Bangkok, Thailand

✉ jackykongpon@gmail.com

🔗 <https://kykungz.github.io/>

Creating and using a Repository

Case 1: *Project code is on your local computer.
You want to copy it to Github.*

Case 2: *Project already exists on Github.
You want to copy it to your computer.*

Special Case:

Case 3: *A new project (no files yet).*

Case 1: Starting from Local Project

You already have a project on your computer

1. Create a **local** "git" repository.

```
cmd> git init
```

```
# These two files are typical
```

```
cmd> git add .gitignore README.md
```

```
# Add some source code
```

```
cmd> git add src/*.java (for example)
```

```
# Commit code to github
```

```
cmd> git commit -m "initial code checkin"
```

Case 1: Remote must be empty


2. On Github, create an empty repository.

Create a new repository

A repository contains all the files for your project, including the revision history.

Owner

Repository name

 fatalaijon ▾ / demo ✓

Great repository names are short and memorable. Need inspiration? How about **symmetrical**

Description (optional)

Demonstration project

Initialize this repository with:

Skip this step if you're importing an existing repository.

☐ Add a README file

This is where you can write a long description for your project. [Learn more.](#)

☐ Add .gitignore

Choose which files not to track from a list of templates. [Learn more.](#)

Case 1: add Github as remote

3. Copy the URL of new Github repository (https or ssh).

Quick setup — if you've done this kind of thing before

or



We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

4. In your **local** project, add Github as a remote repository named "origin":

```
cmd> git remote add origin  
https://github.com/fatalaijon/demo.git
```

Case 1: push your code to Github!

5. Push (copy) the local repository to Github

```
cmd> git push -u origin master
```

You only need **"-u origin master"** the first time you push to Github.

Next time, just type **"git push"**.

"master" or "main" ?

The standard name of the default git branch is **master**

But some people object to the words "master" and "slave".

So, Microsoft changed the name to **main**


You can use either name (master or main).

Github quietly tries to get you to rename your default branch to "main" by offering this cut & paste code:

...or push an existing repository from the command line

```
git remote add origin git@github.com:fatalaijon/demo.git
```

```
git branch -M main
```



```
git push -u origin main
```

Be careful what you copy and paste!

Case 2: Starting from Github

A project already exists on Github.

You want to "clone" it your local computer.

1. On Github, copy the Github project URL

`https://github.com/user/demo.git`

or: go to project on Github and click on
and copy the URL.



Clone or download ▼

2. In your **workspace directory**, type:

`cmd> git clone https://github.com/user/demo`

*NOTE: "git clone" creates a new directory named "demo" inside your current directory. If this directory already exists, clone **won't work**.*

Case 2: ready to use

That's it!

Github is automatically the remote named "origin".

To copy your local work back to Github, just "**git push**" your committed work.

Case 2a: use a different project name

The name of your **local project directory** (directory name) can be **different** from the Github repository name.

1) Specify a local directory name when you "clone":

Clone "**demo**" into local directory "**mydemo**"

```
cmd> git clone https://github.com/fatalai  
jon/demo.git mydemo
```

Syntax: `git clone remote_url local_repo_name`
-- or --

2) rename the directory yourself!

use any file manager to rename directory

Comparison of 2 Cases

(done in class)

Case 3: You don't have a project yet

You can use case 1, case 2, or use Github like a Pro.


Case 1: Create a local project first. Seems more natural.

Case 2: Create a new project on Github with README and .gitignore, then clone it. Requires less typing.

Pro: IDE can do most of this for you.

You still need to understand the basics first.

Workflow for an *individual* project



Git Workflow for an *Individual* project

1) Check status of your working copy (*)

```
cmd> git status
```

It should be clean. If not, do "git diff" and then...

2) Commit changes or update your working copy.

```
(git diff, git add -u, git commit)
```

3) Do some work:

Code, test. Code, test. Review.

(*) *if you work on more than one computer, you need to "fetch" or "pull" any work from Github that is not on this computer (i.e. this local repo).*

Git Workflow (cont'd)

4) After code-test-reivew: check status again

```
cmd> git status
```

```
Changes not staged for commit:
```

```
    modified:   src/Problem2.java
```

```
Untracked files:
```

```
    src/Problem3.java
```

5) **Add** and **commit** your work to the local repository

```
cmd> git add src/Problem2.java src/Problem3.java
```

```
cmd> git commit -m "Solved problems 2 and 3"
```

```
[master 29abae0] Solved problem 2 and 3
```

```
2 files changed, 44 insertions(+), 5 deletions
```

Git Workflow (update remote)

6) Push the changes to Github

```
cmd> git push
```

```
Compressing objects: 100% (12/12), done.
```

```
Writing objects: 100% (12/12), 3.60 KiB,  
done.
```

```
Total 12 (delta 9), reused 0 (delta 0)
```

```
remote: Resolving deltas: 100% (9/9), ...
```

```
To https://github.com/fatailaijon/demo.git
```

```
468abdf..29abae0 master -> master
```

7) Take a break.

That's it! Repeat the cycle as you work.

Github Workflow for Team Projects

On a **team project**, other people will commit files to the **same** Github repository!

You should update your local repository from Github before you try to "push" your work to Github.

Use "**Github Flow**" as workflow in team projects.

"Github Flow" is a separate topic in this course. It is good for both team and solo projects.

Github Flow is the convention for team work in this course.

Github Classroom

Github Classroom **automates** creating a git project with starter code (template code).

The steps are:

1. Instructor provides a URL for a Github assignment.
2. You **visit the URL**. Login to Github if necessary.
3. "**Accept**" the assignment.
4. Github creates a repo with starter code for you. It offers a link to the repo. It *may* redirect you there.

Github Classroom (2)

5. The README file in your repo may contain instructors. Read it.
6. Clone the repo in the usual way.
7. Do the assignment on your local computer.
8. **Important:** Commit all your work. Don't forget to add any new files.
9. "git push" to push to Github.
10. Check your repo on Github. Is your work there?